

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 December 2011

(For the Period 15 November 2011 to 30 November 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-85623A	Cartridge, 25 MM, Target Practice PGU-23/U [CUST: AS]	D	1305	AS		29-NOV-2011
M	MIL-DTL-25959G	Tie Down, Tensioners, Cargo, Aircraft [CUST: AS 84 GS8] [REVIEW: 11]	A	1670	84		22-NOV-2011
M	MIL-PRF-32222 NOT 1	Heater, Vehicular Compartment Multifuel Burning 24 Volt, DC 15,000 - 30,000 BTU/HR [CUST: AT]	A	2540	AT		29-NOV-2011
M	MIL-PRF-62550E NOT 1	Heater Assembly, Combustion Vehicular Compartment, 8.8/17.6KW (30,000/60,000 BTU/HR), General Specification for [CUST: AT]	A	2540	AT		29-NOV-2011
M	MIL-PRF-83812D	Forklift, Truck, 10,000 and 13,000 Pound Capacity, Adverse Terrain [CUST: 84]	A	3930	84		11-NOV-2011
M	MIL-PRF-32350(1)	Fan and Filter Housing Assembly (FFHA), 400 CFM, Variable Speed, Lightweight [CUST: EA]	X	4240	EA		22-NOV-2011
N	ASTM-A618/A618M	Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Standard Specification for [CUST: AT SH 99 CC] [REVIEW: SA]	A	4710	CC		02-NOV-2011
M	MIL-M-49242A(1) NOT 1	Multiplexer, TD-1237(P)/G [CUST: CR]	A	5805	CR		29-NOV-2011
M	MIL-PRF-15160/9G	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F09 [CUST: CR SH 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5920	CC		15-NOV-2011
M	MIL-PRF-15160/15F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F15 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS]	A	5920	CC		15-NOV-2011
M	MIL-PRF-15160/16F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F16 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS]	A	5920	CC		15-NOV-2011
M	MIL-PRF-15160/19F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F19 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS]	A	5920	CC		15-NOV-2011
M	MIL-PRF-15160/20F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F20 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS]	A	5920	CC		15-NOV-2011
M	MIL-PRF-15160/50D	Fuses: Instrument, Power, and Telephone (Nonindicating), Style F50 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS YD]	A	5920	CC		15-NOV-2011
M	MIL-PRF-39012/68D	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMB (Cabled, Pin Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/69C	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMB (Cabled, Socket Contact, Right Angle, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/70D	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMB (Cabled, Pin Contact, Jamnut Mounted, Rear Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/71B	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, Series SMB (Uncabled, Male, Jamnut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/73C	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMC (Cabled, Socket Contact, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/74D	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMC (Cabled, Pin Contact, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/75C	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMC (Cabled, Socket Contact, Right Angle, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/76D	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, Series SMC (Cabled, Pin Contact, Jamnut Mounted, Rear Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/77B	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMC (Uncabled, Male, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]	A	5935	CC		16-NOV-2011
M	MIL-PRF-39012/128C	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC, Solder Pocket, Socket Contact Jam Nut Mounted, Isolated, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]	A	5935	CC		16-NOV-2011
M	MIL-DTL-2726/19C NOT 1	Receptacle with Switch, Electrical, 30-Ampere, 450-Volt, Alternating Current, 60-Hertz, 3-Phase, Interlocking, Ground (Symbol No. 915.1) [CUST: SH CC]	A	5935	CC		29-NOV-2011
M	MS90555F(2)	Connector, Receptacle, Electrical, Wall Mounting, Class L (Power Source Receptacle) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC MI OS]	A	5935	CC		21-NOV-2011
M	MS90557H(1)	Connector, Receptacle, Electrical, Cable Connecting, (without Coupling Ring), Class L [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CG MC MI OS]	A	5935	CC		21-NOV-2011
M	MIL-PRF-6106/11E	Relay, Electromagnetic, Normally Closed, Continuous Duty, 60 AMP, 3PST, Environmentally Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC		17-NOV-2011
M	MIL-PRF-6106/13F	Relay, Electromagnetic, 25 Ampere, 3PST, No, with 2 Ampere, 1PDT Auxiliary Contacts, Hermetically Sealed, Permanent Magnet Drive, Type I [CUST: 85 CC] [REVIEW: 99]	A	5945	CC		17-NOV-2011
M	MIL-PRF-6106/19G	Relays, Electromagnetic Permanent Magnet Drive, 25 Amperes, SPDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC		18-NOV-2011
M	MIL-PRF-19500/507F	Semiconductor Device, Diode, Silicon, Bipolar Transient Voltage Suppressor, Types, 1N6036A through 1N6072A JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 MI]	A	5961	CC		23-NOV-2011
M	MIL-DTL-22442/63(1) NOT 1	Cable Assembly, Aircraft Audio, AWICS CH-46E, CH-53D, CH-53E, and MH-53E [CUST: AS]	A	5995	AS		29-NOV-2011
M	A-A-59789/8A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .195 X .250 Inch Body Size, Screw Actuated, with Visual Lock Indication [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	CC		08-NOV-2011
M	MIL-PRF-8565/17 NOT 1	Battery, Storage, Aircraft, Maintenance-Free, 24-Volt, 1/3-Ampere-Hour [CUST: AS]	A	6140	AS		16-NOV-2011
M	MIL-DTL-24640C SUP 1	Cables, Lightweight, Low Smoke, Electric, for Shipboard Use, General Specification for [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011
M	MIL-DTL-24640/1E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Two-Conductor, Low Power, Types DX and DXWB [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011
M	MIL-DTL-24640/2E	Cable, Electric, -20 degrees to +105 Degrees C, 600 Volts, Lightweight, Three-Conductor, Low Power, Types TX and TXWB [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011
M	MIL-DTL-24640/3E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Four-Conductor, Low Power, Type FX and FXWB [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011
M	MIL-DTL-24640/4E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 20 AWG, Types TTX and TTXWB [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011
M	MIL-DTL-24640/5E	Cable, Electric, -20 Degrees +105 Degrees "C", to 600 Volts, Lightweight, Multi-Pair, AWG 20, Type TTXS (Including Variation Type TTXSO) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011
M	MIL-DTL-24640/6E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, AWG 22, Types 2XAO and 2XAOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH		08-NOV-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-24640/7E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Conductor, 22 AWG, Types 1XMSO and 1XMSOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/8E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Conductor, 20 AWG, Types MXO and MXOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/9E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 22 AWG, Type 2XS and 2XSW (Including Variation Types 2XSO and 2XSOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/10F	Cable Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Conductor, 16 AWG, Types MXSO and MXSOW [CUST: MI SH] [REVIEW: AV CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/11E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Triad, 18 AWG, Types 3XS and 3XSW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/12E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 26 AWG, Types 2XO and 2XOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/13E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 26 AWG, Types 2XSXO and 2XSXOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/14E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Multi-Conductor, 22 AWG, Type 1XSOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/15E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 22 AWG, Type 2XSAW (Including Variation Types 2XSAOW and 2XSAWA) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/16E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 18 AWG, Type 2XSW (Including Variation Type 2XSOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/17E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 26 AWG, Type 2XOW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/18E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Triad, 18 AWG, Type 3XSW (Including Variation Type 3XSOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/19E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, Two-Conductor, Power, Type DXW (Including Variation Type DXOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/20E	Cable, Electric, -20 to +105 Degrees C, 600 Volts, Lightweight, Three-Conductor, Low Power, Type TXW (Including Variation Type TXOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/21E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Four-Conductor, Low Power, Type FXW (Including Variation Type FXOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/22E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Seven-Conductor, Low Power, Type 7XW [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/23E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Multi-Conductor, 18 AWG, Type MXCW (Including Variation Type MXCOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/24E	Cable, Electric, -20 Degrees to +105 Degrees C, 600 Volts, Lightweight, Multi-Pair, 22 AWG, Type TTXW (Including Variation Type TTXOW) [CUST: MI SH] [REVIEW: AR AV CC CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/25A	Cable, Electrical, -20 Degrees C to + 105 Degrees C, 600 Volts, Type 9XS [CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-24640/26A	Cable, Electrical, -20 Degrees C to + 105 Degrees C, 600 Volts, Type 5XO [CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC]	A	6145	SH	08-NOV-2011
M	MIL-DTL-27072E	Cable, Power, Electrical and Cable, Special Purpose, Electrical, Multiconductor and Single Shielded, General Specification for [CUST: CR SH 85 CC] [REVIEW: MI]	A	6145	CC	09-NOV-2011
M	MS25331C NOT 4	Light Assembly, Press to Test Indicator [CUST: AS 99 GS2] [REVIEW: AT AV CR4 IS MI]	A	6210	GS2	16-NOV-2011
M	MIL-PRF-38299E	Fluid, Purging, for Preserving Fuel Tanks of Jet Aircraft [CUST: AV AS 68 GS] [REVIEW: 11]	A	6850	68	16-NOV-2011
M	QPL-81904-5 NOT 1	Coating Compound, Thermal Insulation, Ablative (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	8010	AS	30-NOV-2011
M	MIL-PRF-81904C	Coating Compound, Thermal-Insulation [CUST: AS]	A	8030	AS	21-NOV-2011
M	MIL-M-46130(1) NOT 2	Magnesium-Lithium Alloy Plate, Sheet and Forgings (LA141A, LS141A and LZ145A) (No S/S Document) [CUST: MR AS 11 IS]	A	9535	IS	23-NOV-2011
M	MIL-HDBK-274A	Electrical Grounding for Aircraft Safety [CUST: AS]	A	EMCS	AS	14-NOV-2011
M	DI-PACK-80120C	Preservation and Packing Data [AMSC: N9205]	A	PACK	AS	25-JUL-2011
M	DI-PACK-80121C	Special Packaging Instructions (SPI) [AMSC: N9206]	A	PACK	AS	25-JUL-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MS26517 NOT 4	Handles, Control, Aircraft Throttle, Large [CUST: AV AS 99]	A 1680		GS1	28-NOV-2011
M	MIL-PRF-15160/28D	Fuses, Style F28 [CUST: CR SH 85 CC] [REVIEW: 99]	A 5920		CC	15-NOV-2011
M	MIL-PRF-15160/29B	Fuses, Style F29 [CUST: CR SH 99 CC] [REVIEW: MI]	A 5920		CC	15-NOV-2011
M	MIL-A-22641/17B	Adapters, Coaxial to Waveguide (Class III - .875 Inch), Types UG-405/U, UG-522/U, UG-1622/U, and UG-1663/U [CUST: CR EC 85 CC] [REVIEW: 99 AS AV MC MI]	A 5985		CC	09-NOV-2011
M	MIL-A-22641/18A	Adapters, Coaxial to Waveguide (Class III - .625 Inch), Types UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U, UG-1648/U, UG-1649/U, UG-1650/U, UG-1651/U and UG-1652/U [CUST: CR EC 85 CC] [REVIEW: 99 AS AV MC MI]	A 5985		CC	09-NOV-2011
M	MIL-DTL-8777F	Wire, Electrical, Silicone-Insulated, Copper, 600-Volt, 200 Degrees C [CUST: AV AS 85 CC] [REVIEW: 19 CR4 MI]	A 6145		CC	09-NOV-2011
M	MIL-DTL-49104C	Cable, Telephone WD-1A/TT (Field Wire, Parallel Pair) [CUST: CR CC]	A 6145		CC	09-NOV-2011
M	MIL-DTL-55446D	Cables, Telephone, Switchboard: Plastic Insulated, Plastic Jacketed [CUST: CR 85 CC] [REVIEW: 99]	A 6145		CC	09-NOV-2011
M	MS24526D NOT 5	Base, Airport Marker Light [CUST: AS 99 GS2] [REVIEW: IS]	A 6210		GS2	16-NOV-2011
M	MIL-DTL-27188C NOT 1	Indicator, Pressure EGU-2/A, Oil, 0-100 PSI [CUST: 99 GS]	A 6620		GS8	16-NOV-2011
M	MS500040K	Transmitter, Liquid Quantity, Float Type, Engine Fuel [CUST: AT GS] [REVIEW: CR4]	A 6680		GS8	17-NOV-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-L-80047D NOT 1	Lathes, Woodworking, Patternmakers (No S/S Document) [CUST: SH 99 IS] [REVIEW: 84 MC]	A	3220	IS	15-NOV-2011
M	MIL-R-44123B NOT 1	Rope, Fibrous, Double-Braided, Nylon/Polyester Composite (No S/S Document) [CUST: GL 99 IS] [REVIEW: 71 AS SH]	A	4020	IS	07-NOV-2011
M	EIA-RS385	Preferred Values (No S/S Document) [CUST: CR EC 85 CC]	A	5905	CC	10-NOV-2011
M	MIL-PRF-83504C(1) NOT 1	Switches, Dual In-line Package (DIP), General Specification For (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/2D NOT 2	Switches, Dual In-Line Package (DIP), Rocker Actuator, Low Profile, Single Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC CC] [REVIEW: 99 AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/4E NOT 2	Switches, Slide, Dual In-Line Package (DIP), Single and Double Pole, Single Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC CC] [REVIEW: 99 AR AS AV MI SH]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/5B NOT 2	Switches, Slide, Dual In-Line Package (DIP), Rocker Actuator, Standard Profile, Single Pole, Double Throw Stations, Sealed Base, Style Dips (No S/S Document) [CUST: CR EC CC] [REVIEW: 99 AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/6B NOT 2	Switches, Dual In-Line Package (DIP), Recessed Actuator, Standard Profile, Single Pole, Double Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC 99 CC] [REVIEW: AR AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/7C NOT 2	Switches, Dual In-Line Package (DIP), Rocker Actuator, Standard Profile, Double Pole, Double Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC 99 CC] [REVIEW: AR AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/8C NOT 2	Switches, Dual In-Line Package (DIP), Recessed Rocker Actuator, Standard Profile, Double Pole, Double Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC 99 CC] [REVIEW: AR AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/9C NOT 2	Switches, Dual In-Line Package (DIP), Recessed Rocker Actuator, Standard Profile, Double Pole, Double Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC 99 CC] [REVIEW: AR AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/11D NOT 2	Switches, Dual In-Line Package (DIP), Side Toggle Actuator, Low Profile, Single Pole, Single Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC 99 CC] [REVIEW: AR AS AV MI]	A	5930	CC	17-NOV-2011
M	MIL-PRF-83504/12B NOT 2	Switches, Dual In-Line Package (DIP), Recessed Slide Actuated, Single Pole, Single Throw Stations, Sealed Base, Machine Insertable (No S/S Document) [CUST: 99 CC]	A	5930	CC	17-NOV-2011
M	MIL-S-83504/3A(1) NOT 5	Switch, Dual In Line Package (Dip) Slide Actuator, Low Profile, Single Throw Stations, Sealed Base (No S/S Document) [CUST: CR EC 85 CC]	A	5930	CC	17-NOV-2011
M	QPL-83504-17 NOT 1	Switches, Dual In-Line Package (DIP), General Specification for (No S/S Document)	A	5930	CC	22-NOV-2011
M	MIL-C-83501A(2) NOT 4	Cord Assemblies, Electrical, Braided and Molded Jacket General Specification for (See Notice 4 for Replacement Information) [CUST: 85 GS] [REVIEW: 99]	A	5995	GS4	17-NOV-2011
M	MIL-PRF-4556F(1) NOT 1	Coating Kit, Epoxy, for Interior of Steel Fuel Tanks (S/S by MIL-PRF-23236) [CUST: MR YD] [REVIEW: AS CG MI SH]	A	8010	MR	16-NOV-2011
M	QPL-4556-28(3) NOT 2	Coating Kit, Epoxy, for Interior of Steel Fuel Tanks (No S/S Document)	A	8010	MR	16-NOV-2011
M	MIL-PRF-27601C NOT 1	Hydraulic Fluid, Fire Resistant, Hydrogenated Polyalphaolefin Base, High Temperature, Flight Vehicle, Metric (No S/S Document) [CUST: AT AS 68 GS] [REVIEW: 11 EA MI OS SH]	A	9150	68	16-NOV-2011
M	QPL-27601-4 NOT 1	Hydraulic Fluid, Petroleum Base, High Temperature, Flight Vehicle (No S/S Document)	A	9150	68	16-NOV-2011
M	A-A-55764 NOT 1	Rubber, Silicone; Nonmetallic, Special Shaped Section 20 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55765 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 21 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55766 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 22 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55767 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 23 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55768 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 24 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55769 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 25 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55770 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 26 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55771 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 27 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55772 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 28 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55773 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 29 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55774 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 30 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55775 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 31 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55776 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 32 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55777 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 33 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55778 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 34 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55779 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 35 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55780 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 36 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55782 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 38 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55783 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 39 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	A-A-55784 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 40 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	22-NOV-2011
M	MIL-S-46070(2) NOT 3	Steel Bar for Projectile Stock (No S/S Document) [CUST: AR IS]	A	9510	IS	22-NOV-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-S-48403 NOT 2	Steel Sheet, Hot-Dip, Zinc-Coated (Galvanized), Minimized Spangle, For Automotive Vehicle Body Use (No S/S Document) [CUST: AR IS] [REVIEW: AT]	A	9515	IS	22-NOV-2011
M	MIL-A-63547(1) NOT 2	Aluminum Alloy 7475, Rod (No S/S Document) [CUST: AR IS]	A	9530	IS	23-NOV-2011