

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 October 2011

(For the Period 15 September 2011 to 30 September 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
N	SAE-AS81914/11	Tubing, Plastic, Lightweight, Zero Halogen, Extra Flexible, Convoluted, Helical, Close Convolution, Polyetheretherkeytone (PEEK) [CUST: AS] [REVIEW: GS]	A	5975	AS	12-SEP-2011
M	MIL-DTL-3933/29A	Attenuators, Fixed, Space Level, Non Space Level, Chip, (Surface Mount), 0-20 DB, Frequency Range: DC To 18 GHZ, Class IV [CUST: CR EC 85 CC]	A	5985	CC	27-SEP-2011
M	MIL-DTL-24044/1C	Flanges, Fixed, Coaxial Line, Rigid [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985	CC	15-SEP-2011
M	MIL-DTL-25707/1C	Antenna, Flush Mount, Type AT-740/A [CUST: 85 CC]	A	5985	CC	15-SEP-2011
M	MIL-DTL-25707/3C	Antenna, Flush Mount (Radius of Curvature - 66.50 Inches) [CUST: 85 CC] [REVIEW: 99]	A	5985	CC	15-SEP-2011
M	MIL-DTL-83528D SUP 1	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5999	CC	20-SEP-2011
M	A-A-59466C	Clips, Electrical, General Specification for [CUST: CR SH 85 CC] [REVIEW: 99 CR4 EA MI]	A	5999	/ CC	22-SEP-2011
N	MIL-PRF-64266/18	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Screw Threads, Backshell, Split, Multiple Fiber Cables, Strength Member Capture at Cable Entry Interface, Environment Resisting, Temperature Range 1 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060	CC	22-SEP-2011
M	MIL-STD-1678-1(1)	Fiber Optic Cabling Systems Requirements and Measurements (Part 1: Design, Installation and Maintenance Requirements) (Part 1 of 5 Parts) [CUST: CR AS 85 CC] [REVIEW: 99]	A	60GP	CC	21-SEP-2011
M	MIL-STD-1678-2(1)	Fiber Optic Cabling Systems Requirements and Measurements (Part 2: Optical Measurements) (Part 2 of 5 Parts) [CUST: CR SH 85 CC] [REVIEW: 99]	A	60GP	CC	21-SEP-2011
M	MIL-PRF-8565/19(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140	AS	21-SEP-2011
M	MIL-PRF-8565/20(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 17-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140	AS	21-SEP-2011
M	MIL-PRF-81298E	Dye, Liquid for the Detection of Leaks in Aircraft Fuel Systems [CUST: AV AS 68 GS] [REVIEW: 11 19 99 AT CG EA MR PS SH SM]	A	6820	68	28-SEP-2011
M	MIL-DTL-44054C	Bottle: Oil Sample; with Container, Nonaeronautical [CUST: GL IS] [REVIEW: MD]	A	8125	IS	14-SEP-2011
N	ASTM-B177/B177M	Engineering Chromium Electroplating, Standard Guide for [CUST: MR YD 11]	A	MFFP	11	30-SEP-2011
M	DI-MGMT-81838	Commercial Asset Visibility (CAV) Reporting [AMSC: N9211]	A	MGMT	SA	14-SEP-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		
			FSC/AREA	MCA PREP ACTY	DATE
M	MIL-DTL-51447A	Riot Control Agent, CR Solution [CUST: EA]	D 1365	EA	28-SEP-2011
M	MIL-DTL-3928/16B NOT 2	Switches, Radio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 5, 1P3T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A 5985	CC	20-SEP-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-A-51487A NOT 3	Arming/Firing Unit (See Notice 3 for Replacement Information) [CUST: EA]	A	1040			EA	29-SEP-2011
M	MS24369A NOT 4	Rim Contour - 30X8.8, Type VII, Extra High Pressure, Main Landing Gear Wheel (No S/S Document) [CUST: 70] [REVIEW: GS]	A	1630			70	19-SEP-2011
M	AND10578 REV B NOT 4	Rim Contour-5.00-5, Type III, Low Pressure, Helicopter Landing Gear Wheel (No S/S Document) [CUST: AV AS 70] [REVIEW: GS MC]	A	1630			70	19-SEP-2011
M	MS21780 NOT 4	Tire - Pneumatic Rebuilt Type VIII 30 X 11.5-14.5/24 PR (No S/S Document) [CUST: 70] [REVIEW: CC GS]	A	2620			70	19-SEP-2011
M	MS22078 NOT 4	Tire Rebuilt 26 X 6.6/14PR (No S/S Document) [CUST: AS 70] [REVIEW: CC GS]	A	2620			70	19-SEP-2011
M	MIL-S-12511G NOT 3	Sprayer, Pesticide, Frame-Mounted: Gasoline-Engine-Driven, Mist and Solid Stream, 360 GHP (No S/S Document) [CUST: MS 99 GS] [REVIEW: 84 MC MD]	A	3740			GS3	28-SEP-2011
M	MIL-S-23923D NOT 3	Sprayer and Duster Units, Insecticide, Mist-Dust Blower Type: GED, 30 to 100 Gal/H Liquid, 30 to 300 LB/H Dust (Commercial) (No S/S Document) [CUST: MS 99 GS] [REVIEW: 84 MC]	A	3740			GS3	20-SEP-2011
M	AN960 REV 21 NOT 1	Washer, Flat (S/S by NAS1149) [CUST: AV AS 99 IS] [REVIEW: 71 EA]	A	5310			IS	16-SEP-2011
M	MIL-T-81914 SUP 1 NOT 2	Tubing, Plastic, Flexible, Convoluted, Conduit General Specification For (S/S by SAE-AS81914) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/1 NOT 3	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions (S/S by SAE-AS81914/1) [CUST: MI AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/2 NOT 3	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluoroethylene Close Convolution (S/S by SAE-AS81914/2) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/3 NOT 3	Tubing, Plastic, Flexible, Convoluted, fluorinated Ethylene Propylene, Standard Convolution (S/S by SAE-AS81914/3) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/4 NOT 2	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution (S/S by SAE-AS81914/4) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/5 NOT 4	Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/5) [CUST: AS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/6 NOT 3	Tubing, Plastic, Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Standard Convolution (S/S by SAE-AS81914/6) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-T-81914/7 NOT 5	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid (S/S by SAE-AS81914/7) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914	Tubing, Plastic, Flexible, Convoluted, Conduit (S/S by SAE-AS81914) [CUST: MI AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/1	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions (S/S by SAE-AS81914/1) [CUST: MI AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/2	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/2) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/3	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Standard Convolution (S/S by SAE-AS81914/3) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/4	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution (S/S by SAE-AS81914/4) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/5	Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/5) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/6	Tubing, Plastic, Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Standard Convolution (S/S by SAE-AS81914/6) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	SAE-AMS-T-81914/7	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid (S/S by SAE-AS81914/7) [CUST: AS] [REVIEW: GS]	A	5975			AS	12-SEP-2011
M	MIL-E-19122A NOT 4	Electrodes, Carbon, Lighting, High-Intensity Searchlight Service (No S/S Document) [CUST: SH 99 GS]	A	5977			GS4	13-SEP-2011
M	EIA215	Basic Requirements for Broadcast Microphone Cables (No S/S Document) [CUST: CE YD 99]	A	5995			YD	30-SEP-2011
M	MS90384D NOT 5	Cable Assemblies, Electric Power, Permanently Wired, for Portable Ground Support Test Equipment (No S/S Document) [CUST: AS GS]	A	6150			GS8	28-SEP-2011
M	A-A-56001 NOT 1	Test Set, Electrical Power AN/UPM-93() (No S/S Document) [CUST: CR]	A	6625	/		CR	22-SEP-2011
M	A-A-56002 NOT 1	Test Set, Insulation Breakdown AN/GSM-6() (No S/S Document) [CUST: CR]	A	6625	/		CR	22-SEP-2011
M	EIA160	Sound Systems (No S/S Document) [CUST: YD]	A	FACR			YD	30-SEP-2011
M	EIA330	Closed Circuit Television Camera 525/60, Electrical Performance Standard for (No S/S Document) [CUST: YD]	A	FACR			YD	30-SEP-2011
M	EIA375	Television Monitors 525/60 Interlaced 2:1, Direct View Monochrome Closed Circuit (No S/S Document) [CUST: YD]	A	FACR			YD	30-SEP-2011
M	EIA412	Direct View High Resolution Monochrome Closed Circuit Television Monitors (No S/S Document) [CUST: YD]	A	FACR			YD	30-SEP-2011
M	ASTM-B177	Engineering Chromium Electroplating, Standard Guide for (S/S by ASTM-B177/B177M) [CUST: MR YD 11]	A	MFFP			11	30-SEP-2011