

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 September 2011**

(For the Period 15 August 2011 to 31 August 2011)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	MIL-DTL-32396	Cartridge, 7.62 Millimeter, Blank: Bottlenose - M82A1 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	D	1305		AR	19-AUG-2011
M	MIL-DTL-60584B(3)	Projectile, 155 Millimeter - Smoke, WP, Metal Parts Assembly, M110A2 [CUST: AR]	A	1320		AR	18-AUG-2011
M	MIL-G-85868 NOT 1	Guidance Section, Guided Weapon, MK71, Mods 0, 1 and 2, General Specification for [CUST: AS]	A	1325		AS	24-AUG-2011
M	A-A-52432B	Mirror Assembly, Rearview: Automotive Exterior Mounting [CUST: AT YD 99] [REVIEW: CC CR4 MC MI]	A	2540	/	AT	24-AUG-2011
M	MIL-STD-1275D NOT 1	Characteristics of 28 Volt DC Electrical Systems in Military Vehicles [CUST: AT] [REVIEW: CC CR MI TE]	A	2920		AT	23-AUG-2011
M	MIL-DTL-23599B	Hook, Rescue [CUST: AS]	A	4030		AS	15-AUG-2011
M	MIL-PRF-12386F	Clamp, Repair, Pipe: with Fuel-Resistant Gasket [CUST: AT 99] [REVIEW: CC MC]	A	4730		AT	05-AUG-2011
M	MS14315C(1)	Bushings, Pipe, Brass or Bronze, Threaded (Outside Head, Inside Head, and Face) Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA]	A	4730		CC	11-AUG-2011
N	QPL-AS81306 NOT 1	Wiring Installation Tools for Bands and Tiedown Straps	A	5120		AS	22-AUG-2011
M	MS19070B	Washer, Key Retaining, Ball and Roller Bearing, Regular Series [CUST: AT OS 11 IS] [REVIEW: AS SA]	A	5310		IS	15-AUG-2011
M	MS20500F	Nut, Self Locking, Hexagon, 1200 Degrees F, 125 KSI FTU [CUST: AV AS 99 IS]	A	5310		IS	15-AUG-2011
M	MS25081L	Washer, Key [CUST: CR4 AS 99 IS]	A	5310		IS	15-AUG-2011
M	MS51092C	Washer, Flat [CUST: 99 IS]	A	5310		IS	15-AUG-2011
M	MS51969C	Nut, Plain, Hexagon - Brass, Black Chemical Finish, UNC-2B [CUST: AR SH 71 IS]	A	5310		IS	15-AUG-2011
M	MS35673B	Pin, Grooved, Headless - Longitudinal Taper Groove, Brass [CUST: AR AS 99 IS]	A	5315		IS	31-AUG-2011
M	MS51606D	Pin, Grooved, Headless (Half Length Reverse Taper Groove) Corrosion-Resistant Steel [CUST: AR AS 99 IS] [REVIEW: AT AV MI OS SH]	A	5315		IS	31-AUG-2011
M	MS90722B	Tack, Cut [CUST: AR YD 99 IS] [REVIEW: 71 GL MC SA]	A	5315		IS	31-AUG-2011
M	FF-L-2740B	Locks, Combination [CUST: AR 99]	A	5340	*	IS	15-JUN-2011
M	A-A-59561A	Shim, Solid, Round [CUST: AR GS] [REVIEW: AV MI]	A	5365	/	GS4	24-AUG-2011
M	MIL-R-85693 NOT 1	Radio Receiving Set, AN/ARR-78 (V) 1 and AN/ARR-78 (V) 2 [CUST: AS]	A	5845		AS	24-AUG-2011
M	MIL-R-85693/1 NOT 1	Receiver, Advanced Sonobuoy Communication Link; the AN/ARR-78 (V) (1) P-3C Configuration [CUST: AS]	A	5845		AS	24-AUG-2011
M	MIL-R-85693/3 NOT 1	Radio Receiving Set, AN/ARR-78 (V) 1 and AN/ARR-78 (V) 2 [CUST: AS]	A	5845		AS	24-AUG-2011
M	MIL-PRF-94G(1) SUP 1	Resistors, Variable, Composition General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905		CC	17-AUG-2011
M	MIL-PRF-94/6E(1)	Resistors, Variable, Composition, Style 2RV7 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 EA MC OS]	A	5905		CC	17-AUG-2011
M	A-A-55512A NOT 2	Resistors, Thermally Sensitive (Thermistor) [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	A-A-55562A NOT 2	Resistor, Voltage Sensitive (Varistor, Metal Oxide), Chip [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	A-A-55562/1A NOT 2	Resistor, Voltage Sensitive (Varistor, Metal Oxide), Chip, Style 0603 [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	A-A-55562/2A NOT 2	Resistor, Voltage Sensitive (Varistor, Metal Oxide), Chip, Style 0805 [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	A-A-55562/3A NOT 2	Resistor, Voltage Sensitive (Varistor, Metal Oxide), Chip, Style 1206 [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	A-A-55562/4A NOT 2	Resistor, Voltage Sensitive (Varistor, Metal Oxide), Chip, Style 1210 [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	A-A-55562/5 NOT 2	Resistor, Voltage Sensitive (Varistor, Metal Oxide), Chip, Style 0402 [CUST: EC CC]	A	5905	/	CC	19-AUG-2011
M	MIL-PRF-123/18C	Capacitors, Fixed, Ceramic Dielectric, (General Purpose), High Reliability, Leaded, Style CKS24 [CUST: EC 19 CC NA] [REVIEW: 85]	A	5910		CC	19-AUG-2011
M	MIL-PRF-8805/25F NOT 1	Switches, Push, Momentary, 2 Circuit, Unsealed and Sealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5930		CC	25-AUG-2011
M	MIL-PRF-8805/73K NOT 1	Switches, Sensitive, SPDT, Plunger, 4 Amperes, Hermetically Sealed Contacts, Resilient Sealed Plunger [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	23-AUG-2011
M	MIL-DTL-38999/25C	Connector, Electrical, Circular, Threaded, Receptacle, Solder Mounting, Hermetic, Hermetic Solder Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	29-AUG-2011
M	MIL-DTL-55302G SUP 1	Connectors, Printed Circuit Subassembly and Accessories [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	5935		CC	18-AUG-2011
M	MS3187F(1)	Plug, End Seal, for MIL-DTL-26482, SAE-AS50151, SAE-AS81703 and MIL-DTL-83723 Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI SH]	A	5935		CC	26-AUG-2011
M	MS27469H	Connectors, Receptacle, Electrical, Wall Mounting Flange, Solder Type, Hermetic Seal, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	26-AUG-2011
M	MS27661F	Connectors, Plug, Electrical, Crimp Type, Lanyard Release, Fail-Safe, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	29-AUG-2011
M	MIL-STD-1554A(1)	Insert Arrangements for MIL-DTL-83723 Series III and MIL-DTL-26500 Environment Resisting, Circular, Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: 19 99 AR AV EC MI]	A	5935		CC	26-AUG-2011
M	QPL-28859-10 NOT 1	Connector Component Parts, Electrical Backplane, Printed Wiring, General Specification for (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	5935		SH	19-AUG-2011
M	A-A-59125/1 NOT 1	Terminal Boards, Molded, Barrier Screw Type, Class 37TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/2 NOT 1	Terminal Boards, Molded, Barrier Screw Type, Class 38TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/3 NOT 1	Terminal Boards, Molded, Barrier Screw Type, Class 39TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/4 NOT 1	Terminal Boards, Molded, Barrier Screw Type, Class 40TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/5 NOT 1	Terminal Boards, Molded, Barrier Screw Type, Class 41TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/7 NOT 1	Terminal Lugs, Solder Type, Styles TBLD and TBL5 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/9 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 3TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/10 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 4TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/12 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 6TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/13 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 7TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/14 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 8TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/15 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 9TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/16 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 10TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/20 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 16TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/22 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 18TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/23 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 25TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011
M	A-A-59125/24 NOT 1	Terminal Boards, Molded, Barrier Stud Type, Class 26TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	18-AUG-2011



## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MIL-DTL-45449C	Pallet, Units, Wood, for Shipment of Projectile Metal Parts and Projectile Ammunition [CUST: AR OS 11] [REVIEW: 69 70 99 AS DH GS GS3 GS7 MC MI]	A 8140		AR	17-AUG-2011
M	MIL-DTL-11589/256D	Ribbon, Naval Science II Honor Platoon, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/257D	Ribbon, Naval Science I Honor Platoon, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/258D	Ribbon, at Sea Cruise, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/259D	Ribbon, Color Guard, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/260D	Ribbon, Drill Team, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/261D	Ribbon, Rifle Team, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/262D	Ribbon, Unit Award (CNET), NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/263D	Ribbon, Community Service, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/264D	Ribbon, Physical Fitness, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455		IH	01-SEP-2011
M	MIL-DTL-11589/287D	Ribbon, AFROTC Recruiting Award [CUST: IH 11] [REVIEW: CT]	A 8455		IH	01-AUG-2011
M	MIL-DTL-11589/288F	Ribbon, AFROTC Outstanding Flight and AFJROTC Drill Competition [CUST: IH 11] [REVIEW: CT]	A 8455		IH	01-AUG-2011
M	MIL-DTL-11589/292E	Ribbon, Outstanding Civilian Career Service Award, Air Force [CUST: IH 11] [REVIEW: CT]	A 8455		IH	01-AUG-2011
M	A-A-20081F	Bacon, Precooked, Sliced, In Flexible Pouches [CUST: GL SA 35] [REVIEW: MC MD QM]	A 8905	/	SS	22-AUG-2011
M	A-A-20349A	Meatballs in Tomato Sauce, Canned or in Flexible Pouches [CUST: GL SA 35] [REVIEW: MC MD QM]	A 8940	/	SS	22-AUG-2011
M	MIL-PRF-27617G	Grease, Aircraft and Instrument, Fuel and Oxidizer Resistant [CUST: AT AS 68 GS] [REVIEW: 11 AR EA MI MR NA SH SM]	A 9150		68	15-AUG-2011
M	MS500106(1) NOT 2	Bar, Metal, Round, Steel, Carbon 1018 [CUST: MR AS 99 IS] [REVIEW: AR AT CR4 MI]	A 9510		IS	30-AUG-2011
M	MIL-DTL-14538(11)	Chromium Plating, Black (Electrodeposited) [CUST: MR]	A MFFP		MR	09-AUG-2011
N	DI-MGMT-81836	Facilities Requirements Document (FRD) [AMSC: N9208]	A MGMT		SH	22-AUG-2011
N	DI-MGMT-81837	Mobilization Plan [AMSC: N9209]	A MGMT		SH	22-AUG-2011
M	MIL-STD-38784A	Manuals, Technical: General Style and Format Requirements [CUST: TM OS 16] [REVIEW: 11 99 AS AV CR MC SH]	A TMSS		16	25-AUG-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-14055F	Cup, Hydraulic Brake Actuating Cylinder: Synthetic Rubber [CUST: AT SH 99 CC] [REVIEW: 71 AR MC SA YD]	A	2530	CC	17-AUG-2011
M	MIL-DTL-51174B	Filter Unit, Gas-Particulate, 12 CFM, Armored Ambulance, M14 [CUST: EA]	X	4240	EA	16-AUG-2011
M	AN780 REV 7	Nipple, Union [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CG CR4 MC SA YD]	A	4730	CC	04-AUG-2011
M	AN785 REV 7	Coupling, Union, Brazing [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CG CR4 MC SA YD]	A	4730	CC	04-AUG-2011
M	AN791 REV 6	Nipple, Union [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CG CR4 MC SA YD]	A	4730	CC	04-AUG-2011
M	AN795 REV 5	Tee, Union [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CG CR4 MC SA YD]	A	4730	CC	04-AUG-2011
M	AN800 REV 6	Cone, Union [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CG CR4 MC SA YD]	A	4730	CC	04-AUG-2011
M	AN805 REV 8	Nut, Union [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CG CR4 MC SA YD]	A	4730	CC	04-AUG-2011
M	AN665 REV 6	Terminal-Threaded Clevis Type Tie Rod [CUST: MI AS 99 IS]	A	5340	IS	31-AUG-2011
M	MIL-C-11015/2D NOT 2	Capacitor, Fixed, Ceramic Dielectric (General Purpose), Style CK22 [CUST: CR EC 85 CC] [REVIEW: 19 MC MI]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/4D NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK27 [CUST: CR EC 85 CC] [REVIEW: 19 MC MI]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/9F NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK60 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/11F NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose) Style CK62 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/12F NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK63 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/13E NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose) (Feed-Thru), Style CK70 [CUST: CR EC 85 CC] [REVIEW: 19 MC MI]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/18E NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK05 [CUST: CR EC 85 CC] [REVIEW: 19 MC MI]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/19E NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK06 [CUST: CR EC 85 CC] [REVIEW: 19 AR EA MC MI]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/20D NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Styles CK12, CK13, CK14, CK15, and CK16 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/21F NOT 2	Capacitors, Fixed Ceramic Dielectric (General Purpose), Styles CK64, CK65, CK66, CK67, CK68, and CK69 [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/23D NOT 2	Capacitors, Fixed, Ceramic Dielectric (General Purpose), (Feed-Thru), Style CK72 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-11015/32B NOT 2	Capacitors, Fixed, Ceramic Dielectric, (General Purpose) Style CK31 and CK32 [CUST: EC 85 CC]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/12B NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tubular (Insulated), (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR19 [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV MC MI OS SH TD]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/16B NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tubular (Insulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR39 [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV MC MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/17B NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tangential Retainer, Tubular (Uninsulated), (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR42 [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV MC MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/18B NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Threaded-Stud Retainer, Tubular (Uninsulated) Hermetically Sealed in Metal Cases), Established Reliability, Style CQR43 [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV MC MI OS SH]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/19C NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tubular (Insulated), (Hermetically Sealed in Metal Cases), Style CQ05 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV MC MI OS SH TD]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/20A NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tangential Retainer, Tubular (Uninsulated), (Hermetically Sealed in Metal Cases), Style CQ10 [CUST: CR EC 85 CC] [REVIEW: AR AS MI]	A	5910	CC	19-AUG-2011
M	MIL-C-19978/21A NOT 2	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Threaded-Stud Retainer, Tubular (Uninsulated), (Hermetically Sealed in Metal Cases), Style CQ11 [CUST: CR EC 85 CC] [REVIEW: AR AS MI]	A	5910	CC	19-AUG-2011
M	MIL-S-8805/85E NOT 1	Switch, Sensitive, Rotary (Non-Self Return), 4 Amperes, Resilient Seal [CUST: EC 85]	A	5930	CC	23-AUG-2011
M	MIL-S-24317/8C NOT 1	Switches, Multistation, Push Button, (Illuminated Matrix Arrangement), RFI Shielded, Moisture Sealed, High Impact Shock, Style SM08 [CUST: EC 85 CC]	A	5930	CC	23-AUG-2011
M	MIL-S-24317/9B NOT 1	Switches, Multistation, Push Button, Matrix Arrangement Plug-In Module, 2 Amperes, Unsealed, Type SM09L1 [CUST: EC 85 CC]	A	5930	CC	23-AUG-2011
M	MIL-S-24317/12B NOT 1	Switch, Multistation, Pushbutton, Illuminated Matrix Arrangement, Sunlight Readable, 4 Lamp, Plug -In Module, Style SM12L1 [CUST: EC 85 CC]	A	5930	CC	23-AUG-2011
N	MIL-DTL-32393	Cover Assembly, Terminal Block, Two Stud [CUST: CR4 AS 85 GS] [REVIEW: 99]	A	5940	GS4	09-AUG-2011
M	MIL-R-39016/32F NOT 1	Relays, Electromagnetic, DPDT, Low Level To 2 Amperes (Latching) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 MI OS SH]	A	5945	CC	23-AUG-2011
M	MIL-R-39016/39F NOT 1	Relays, Electromagnetic, Hermetically Sealed, 4PDT, Low-Level to 3 Amperes (400 Milliwatts) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 MI SH]	A	5945	CC	23-AUG-2011
M	MS25032K(2) NOT 1	Relay, Electromagnetic, 200 Amperes, 2 PDT, (N.O.) Type II, Nonhermetically Sealed, Mechanically Interlocked [CUST: AS 85 CC]	A	5945	CC	23-AUG-2011
M	MS25919E NOT 1	Relays, Electromagnetic, Type I, 10 Amperes, 4 PDT [CUST: AS 85 CC]	A	5945	CC	23-AUG-2011
M	MIL-T-9219(2) NOT 4	Transformers, Power, Autotransformers and Step Down, 400 Cycle, General Specification For [CUST: 85 CC]	A	5950	CC	23-AUG-2011
M	MIL-T-28732C NOT 2	Transformer, Impedance Matching, Balance to Unbalance (BALUN) [CUST: EC CC]	A	5950	CC	25-AUG-2011
M	MIL-T-55631(2) NOT 2	Transformer, Intermediate Frequency, Radio Frequency, and Discriminator General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A	5950	CC	23-AUG-2011
M	MIL-T-83720(1) NOT 4	Transformers and Inductors, Non-Explosive, General Specification for [CUST: 85 CC]	A	5950	CC	23-AUG-2011
M	MIL-T-83721 NOT 3	Transformers, Variable, Power General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 99 AT MC MI]	A	5950	CC	23-AUG-2011
M	MIL-T-83721/1 NOT 3	Transformer, Variable, Power, 400 Hz, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR MC MI]	A	5950	CC	23-AUG-2011
M	MIL-PRF-1/1069G NOT 1	Electron Tube, Receiving Type 5702WB [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS]	A	5960	CC	19-AUG-2011
M	MIL-DTL-18793B	Antenna AS-333/AP [CUST: AS 85 CC]	A	5985	CC	18-AUG-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		MCA	PREP ACTY	DATE
			FSC/AREA				
M	MIL-F-49291/2A NOT 3	Fiber, Optical, 100/140 Micrometers, Radiation Hardened (Metric) [CUST: CR SH 85] [REVIEW: AS MI]	A	6010		CC	19-AUG-2011
M	MIL-F-49291/3A NOT 3	Fiber, Optical, 50/125 Micrometers (Metric) [CUST: CR SH 85] [REVIEW: AS MI]	A	6010		CC	19-AUG-2011
M	MIL-F-49291/4A NOT 3	Fiber, Optical, 100/140 Micrometers, (Metric) [CUST: CR SH 85] [REVIEW: AS MI]	A	6010		CC	19-AUG-2011
M	MIL-DTL-13777/5D	Cable, Special Purpose, Electrical 34, 36, 37, 39, 40, 42, 46, 47 and 52 Conductors [CUST: AR SH 85 CC] [REVIEW: 19 CE CR MC MI OS]	A	6145		CC	16-AUG-2011

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-82020C NOT 2	Switches and Frogs, Track, Cast Manganese Steel, for Portal Cranes (No S/S Document) [CUST: YD IS]	A	2250	IS	30-AUG-2011
M	MS27262B NOT 1	Valve, Fuel Drain, Self-Locking, Flush Type, Installation of (No S/S Document) [CUST: AV AS 99]	A	2915	99	04-AUG-2011
M	MIL-S-26753D NOT 1	Sander, Disk and Spindle, Woodworking (No S/S Document) [CUST: AR SH 99 IS] [REVIEW: 84 AV CE MC]	A	3220	IS	30-AUG-2011
M	MIL-S-80020D NOT 1	Sander, Single and Double Disk, Woodworking (No S/S Document) [CUST: CR4 SH 99 IS] [REVIEW: 84 AV MC YD]	A	3220	IS	30-AUG-2011
M	MIL-S-80029D NOT 4	Sander, Disk and Belt (No S/S Document) [CUST: CR4 SH 99 IS] [REVIEW: 84 MC]	A	3220	IS	30-AUG-2011
M	ASME-MH1.8M	Wood Pallets (See Notice of Withdrawal for Replacement Information) [CUST: SM SA 99 DH] [REVIEW: 11 84 AR AS AT CC CR4 EA GL GS IS MC MI MT SH YD]	A	3990	SM	15-AUG-2011
M	QPL-81306-10 NOT 2	Tool, Forming, for Adjustable Plastic and Metal Cable Straps (S/S by QPL-AS81306)	A	5120	AS	22-AUG-2011
M	MIL-R-85693/2 NOT 3	Receiver, Advanced Sonobuoy Communication Link, AN/ARR-78(V) (2) S-3B Configuration (No S/S Document) [CUST: AS]	A	5845	AS	24-AUG-2011
M	MIL-T-55164/18 NOT 4	Terminal Board, Molded, Barrier, Stud Type, Class 13TB (S/S by A-A-59125/18) [CUST: CR SH 85] [REVIEW: AT AV CG CR4 MC OS]	A	5940	SH	16-AUG-2011
M	MS25046B NOT 3	Cover, Assembly Terminal Block Two Stud (S/S by MIL-DTL-32393) [CUST: CR4 AS 85 GS] [REVIEW: 99]	A	5940	GS4	09-AUG-2011
M	EIA-JESD31	Distributors of Commercial and Military Semiconductor Devices, General Requirements for (See Withdrawal Notice for Replacement Information) [CUST: CR EC 85 CC]	A	5962	CC	22-AUG-2011
M	EIA-JESD78	IC Latch-up Test (See Withdrawal Notice for Replacement Information) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD]	A	5962	CC	22-AUG-2011
M	A-A-55785 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 41 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55786 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 42 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55787 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 43 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55788 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 44 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55789 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 45 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55790 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 46 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55791 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 47 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55792 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 49 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55793 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 50 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	A-A-55794 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 51 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/ IS	30-AUG-2011
M	ASME-MH1.2.2M	Pallet Sizes (See Notice of Withdrawal for Replacement Information) [CUST: SM SA 99 DH] [REVIEW: 11 AR AS AT CC CR4 EA GL GS3 MI SH YD]	A	PACK	SM	15-AUG-2011
M	ASME-MH1.4.1M	Pallets, Procedures for Testing (See Notice of Withdrawal for Replacement Information) [CUST: SM SA 99 DH] [REVIEW: 11 AR AS CC CR4 EA GL GS3 MI SH YD]	A	PACK	SM	15-AUG-2011