

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 October 2011

(For the Period 1 October 2011 to 14 October 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MS51844E	Sleeve, Swaging-Wire Rope [CUST: AR SH 99 CC] [REVIEW: 11 71 AS AT AV EA GS5 MC MI SA]	A	4030		CC	30-SEP-2011
M	MIL-PRF-81542C	Life Raft, Inflatable, Single-Place [CUST: AV AS]	A	4220		AS	21-SEP-2011
M	MIL-PRF-53015B	Displacement and Evacuation Kit, Collapsible Hose [CUST: AT 99] [REVIEW: CC]	A	4610		AT	07-OCT-2011
M	MIL-DTL-6615G(1)	Hose Assemblies, Rubber, Fuel and Nonpotable Water, with Reattachable Couplings, Low Temperature, General Specification for [CUST: AS 99 CC] [REVIEW: 71 CG MC SA SH]	A	4720		CC	01-SEP-2011
M	A-A-59326D	Coupling Halves, Quick-Disconnect, Cam-Locking Type, General Specification for [CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH]	A	4730	/	AT	07-OCT-2011
M	MIL-DTL-24704/1B	Flanges, Four Bolt Square, Socket Weld for Hydraulic Systems [CUST: SH]	A	4810		SH	04-OCT-2011
M	A-A-59436A	Separators, Oil and Water, Compressed Air, Wall Mounted [CUST: AR MC 99 CC] [REVIEW: 84 AT]	A	4940	/	CC	05-OCT-2011
M	MIL-PRF-39014/5G NOT 1	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability, Styles CKR11, CKR12, CKR14, CKR15, and CKR16 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	11-OCT-2011
M	MIL-PRF-39014/22E NOT 1	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability, Styles CKR22, CKR23, and CKR24 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI]	A	5910		CR	11-OCT-2011
M	MIL-PRF-39014/23B NOT 1	Capacitors, Fixed, Ceramic Dielectric (General Purpose) Established Reliability, Style CKR04 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	11-OCT-2011
M	MIL-PRF-55681/9C NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR33, Metric [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CR	11-OCT-2011
M	MIL-PRF-55681/10C NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR34, Metric [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CR	11-OCT-2011
M	MIL-PRF-55681/11C NOT 1	Capacitors, Chip, Multiple Layer, Fixed, Ceramic Dielectric, Established Reliability and Non-Established Reliability, Style CDR35, Metric [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CR	11-OCT-2011
M	MS14002J	Switch, Toggle, Positive Break, Environmentally Sealed, Solder Lug, Double Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930		CC	05-OCT-2011
M	MS14003J	Switch, Toggle, Positive Break, Environmentally Sealed, Solder Lug, Four Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930		CC	05-OCT-2011
M	MS21026G	Switch, Toggle, Positive Break, Lever Lock, Miniature Toggle Sealed, Solder Lug, Single Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930		CC	05-OCT-2011
M	MS21027R	Switch, Toggle, Positive Break, Lever Lock, Miniature Toggle Sealed, Solder Lug, Double Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 EC MI]	A	5930		CC	05-OCT-2011
M	MS21351G	Switch, Toggle, Positive Break, Special Circuit, Miniature Toggle Sealed, Solder Lug, Single Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR MI]	A	5930		CC	05-OCT-2011
M	MS21354M	Switch, Toggle, Positive Break, Miniature, Toggle Sealed, Printed Circuit Board Terminals, Single Pole, .250 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR EC]	A	5930		CC	05-OCT-2011
M	MS21356J	Switch, Toggle, Positive Break, Miniature, Toggle Sealed, Printed Circuit Board Terminals, Single Pole, .469 Mounting Bushing [CUST: AS 85 CC] [REVIEW: 99 EC]	A	5930		CC	05-OCT-2011
M	MS21357J	Switch, Toggle, Positive Break, Miniature, Toggle Sealed, Printed Circuit Board Terminals, Double Pole, .469 Mounting Bushing [CUST: AS 85 CC] [REVIEW: 99 EC]	A	5930		CC	05-OCT-2011
M	MS21437H	Switch, Toggle, Positive Break, Lever Lock, Miniature, Toggle Sealed, Solder Lug, Double Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 EC MI]	A	5930		CC	05-OCT-2011
M	MS27708J	Switch, Toggle, Four Position On, Center Off [CUST: AV AS 85 CC] [REVIEW: 99]	A	5930		CC	03-OCT-2011
M	MIL-DTL-24558B	Terminal Boxes, Connection, for Electrical and Electronic Systems, General Specification for [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/1B	Terminal Box, Connection, Submersible (15-Foot), 6-Terminal, 18-Wire, 600 Volts, Symbol No. 520.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/2B	Terminal Box, Connection, Submersible (15-Foot), 8-Terminal, 32-Wire, 600 Volts, Symbol No. 435.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/3B	Terminal Box, Connection, Submersible (15-Foot), 10-Terminal, 30-Wire, 600 Volts, Symbol No. 528 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/4B	Terminal Box, Connection, Submersible (15-Foot), 20-Terminal, 80-Wire, 600 Volts, Symbol 432.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/5B	Terminal Box, Connection, Submersible (15-Foot), 30-Terminal, 90-Wire, 600 Volts, Symbol NO. 434 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/6B	Terminal Box, Connection, Submersible (15-Foot), 40-Terminal, 160-Wire, 600 Volts, Symbol NO. 433.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/7B	Terminal Box, Connection, Submersible (15-Foot), 48-Terminal, 144-Wire, 600 Volts, Symbol No. 522.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/8B	Terminal Box, Connection, Submersible (15-Foot), 60-Terminal, 240-Wire, 600 Volts, Symbol No. 446 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/9B	Terminal Box, Connection, Submersible (15-Foot), 72-Terminal, 216-Wire, 600 Volts, Symbol No. 525 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/10B	Terminal Box, Connection, Submersible (15-Foot), 80-Terminal, 320-Wire, 600 Volts, Symbol No. 438 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/11B	Terminal Box, Connection, Submersible (15-Foot), 96-Terminal, 288-Wire, 600 Volts, Symbol No. 523.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/12B	Terminal Box, Connection, Submersible (15-Foot), 120-Terminal, 480-Wire, 600 Volts, Symbol No. 450 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/13B	Terminal Box, Connection, Submersible (15-Foot), 144-Terminal, 432-Wire, 600 Volts, Symbol No. 524.1 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/14B	Terminal Box, Connection, Submersible (15-Foot), 192-Terminal, 576-Wire, 600 Volts, Symbol No. 451 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/15B	Terminal Box, Connection, Submersible (15-Foot), 200-Terminal, 800-Wire, 600 Volts, Symbol No. 452 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/16B	Terminal Box, Connection, Submersible (15-Foot), 288-Terminal, 864-Wire, 600 Volts, Symbol No. 453 [CUST: SH GS]	A	5940		GS4	03-OCT-2011
M	MIL-DTL-24558/17B	Terminal Box, Connection, Submersible (15-Foot), 384-Terminal, 1,152-Wire, 600 Volts, Symbol No. 454 [CUST: SH GS]	A	5940		GS4	03-OCT-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-24558/18B	Terminal Boxes, Connection, Submersible (15-Foot), 600 Volts, 4-Terminal, 8-Wire, Symbols No. 400.1 and No. 400.4, 4-Terminal, 12-Wire, Symbols No. 400.2 and No. 400.3 [CUST: SH GS]	A 5940		GS4	03-OCT-2011
M	MIL-DTL-24558/19B	Terminal Box, Connection, Submersible (15-Foot), 4-Terminal, 8-Wire 1000 Volts, Symbol No. 444 [CUST: SH GS]	A 5940		GS4	03-OCT-2011
M	MIL-DTL-24558/30B	Terminal Boxes, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol No. 576.1 - Two Circuits for 150 MCM Cable, One Circuits for 200 MCM Cable and One Circuit for 400 MCM Cable, Symbol 577.1 - One Circuit for 150 MCM Cable, One Circuit for 200 MCM Cable and Two Circuits for 250 MCM Cable [CUST: SH GS]	A 5940		GS4	03-OCT-2011
M	MIL-PRF-19500/723C	Semiconductor Device, Diode, Silicon, Schottky Rectifier, Types 1N6910UTK2, 1N6911UTK2, 1N6912UTK2, 1N6910UTK2CS, 1N6911UTK2CS, 1N6912UTK2CS, 1N6910UTK2AS, 1N6911UTK2AS, and 1N6912UTK2AS, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A 5961		CC	12-OCT-2011
M	MIL-PRF-19500/724C	Semiconductor Device, Diode, Silicon, Schottky, Rectifier, Types 1N6920UTK4, 1N6921UTK4, 1N6922UTK4, 1N6920UTK4CS, 1N6921UTK4CS, 1N6922UTK4CS, 1N6920TK4AS, 1N6921UTK4AS, and 1N6922UTK4AS, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A 5961		CC	12-OCT-2011
M	A-A-59789/5A	Holders, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, Lever Actuated, with Visual Lock Indication [CUST: CR EC 85 CC]	A 5998	/	CC	05-OCT-2011
M	A-A-59789/6A	Holders, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, Lever Actuated, with Lever Extraction and Visual Lock Indication [CUST: CR EC 85 CC]	A 5998	/	CC	06-OCT-2011
M	MIL-STD-705C NOT 1	Generator Sets, Engine Driven Methods of Tests and Instructions [CUST: CR4 YD 99] [REVIEW: 71 AS AT GS MC MI TE]	A 6115		CR4	11-OCT-2011
M	MIL-PRF-32143B	Batteries, Storage: Automotive, Valve Regulated Lead Acid (VRLA) [CUST: AT MC CC]	A 6140		AT	05-OCT-2011
M	MIL-DTL-38359E	Cable, Power, Electrical, Airport Lighting, Cross-Linked, Polyethylene (XLP) [CUST: 85 CC] [REVIEW: 99]	A 6145		CC	27-SEP-2011
M	MIL-DTL-11589/265D	Ribbon, Recruiting, NJROTC [CUST: IH NU] [REVIEW: CT]	A 8455	/	IH	01-SEP-2011
M	A-A-20328B	Nut Butters and Nut Spreads [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A 8930	/	SS	29-SEP-2011
M	MIL-DTL-87107D NOT 1	Propellant, High Density Synthetic Hydrocarbon Type, Grade JP-10 [CUST: AS 68] [REVIEW: 11]	A 9135		68	11-OCT-2011
N	MIL-DTL-32375	Armor Plate, Aluminum Alloy, 7085, Unweldable Applique [CUST: MR] [REVIEW: AR AT AV IS TE]	A 9535		MR	29-SEP-2011
M	DI-MGMT-81026 NOT 1	Tempest Control Plan [AMSC: A4982]	A MGMT		CR	04-OCT-2011
M	MIL-DTL-197L	Packaging of Bearings, Associated Parts and Subassemblies [CUST: AR SH 99 GS] [REVIEW: 11 70 84 AS AT OS SA SM]	A PACK		GS4	11-OCT-2011
M	DI-PACK-81582A	Packaging Development Data Report	A PACK		CR	06-OCT-2011
M	DI-SAFT-80903 NOT 1	Field Alerters [AMSC: A4836]	A SAFT		CR	04-OCT-2011
M	DI-ILSS-80502 NOT 1	List of Faults Inserted for Training Purposes [AMSC: A4283]	A SESS		CR	04-OCT-2011
M	DI-CMAN-81254A NOT 1	Request for Nomenclature (DD Form 61) [AMSC: A7288]	A SESS		CR	04-OCT-2011
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A STDZ		SO	01-OCT-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MIL-S-49160A NOT 2	Shelter, Electrical Equipment S-561() (V)/TCC-41(V) [CUST: CR]	A 5805		CR	13-OCT-2011
M	MIL-R-49126A NOT 3	Radar Set AN/PPS-15() [CUST: CR]	A 5840		CR	13-OCT-2011
M	MS14001J	Switch, Toggle, Positive Break, Environmentally Sealed, Solder Lug, Single Pole, .469 Mounting Bushing, 25 Amperes [CUST: CR AS 85 CC]	A 5930		CC	05-OCT-2011
M	MS21433F	Switch, Toggle, Positive Break, Miniature, Toggle Sealed, Single Pole, Printed Circuit Board Terminals, Right Angle Mount [CUST: AS 85 CC] [REVIEW: 99 EC]	A 5930		CC	05-OCT-2011
M	MS21434C	Switches, Toggle, Positive Break, Miniature, Toggle Sealed, Double Pole, Printed Circuit Board Terminals, Right Angle Mount [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV EC MI]	A 5930		CC	05-OCT-2011
M	MIL-DTL-83054C NOT 1	Baffle and Inerting Material, Aircraft Fuel Tank [CUST: 11 IS] [REVIEW: 84 99]	A 9330		11	26-SEP-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	SAE-AS5258/1	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Straight (S/S by SAE-AS85049/140) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/2	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Right Angle (S/S by SAE-AS85049/141) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/3	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Straight, Low Profile (S/S by SAE-AS85049/140) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/4	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Right Angle, Low Profile (S/S by SAE-AS85049/141) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/5	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Straight, Low Profile, Miniature (S/S by SAE-AS85049/140) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/6	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Right Angle, Low Profile, Miniature (S/S by SAE-AS85049/141) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/7	Insulating Components, Molded, Electrical, Heat Shrinkable, Transition, Strain Relief and Sealing, T (S/S by SAE-AS85049/142) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/8	Insulating Components, Molded, Electrical, Heat Shrinkable, Strain Relief and Sealing, Y (S/S by SAE-AS85049/142) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/9	Insulating Components, Molded, Electrical, Heat Shrinkable, Transition, Strain Relief and Sealing, 1 to 3 (S/S by SAE-AS85049/142) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	SAE-AS5258/10	Insulating Components, Molded, Electrical, Heat Shrinkable, Transition, Strain Relief and Sealing, T (S/S by SAE-AS85049/140) [CUST: AS GS]	A	5970	AS	05-OCT-2011
M	A-A-50874A NOT 1	Stool, Straight, Metal (No S/S Document) [CUST: MD MS 03]	A	6530	/	MB 05-OCT-2011
M	MIL-H-83147(3) NOT 2	Helmet Shell, Flying, HGU-22/P (S/S by MIL-DTL-87174) [CUST: 11]	A	8475	11	26-SEP-2011