

MIL-S-1123E
AMENDMENT- 1

12 March 1971

MILITARY SPECIFICATION

SHOE REPAIR SHOP EQUIPMENT

This amendment forms a part of MIL-S-1123E, dated 25 September 1968, and is mandatory for use by all Departments and Agencies of the Department of Defense.

PAGE 3

2.2 Add the following:

"NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC.

National Motor Freight Classification

(Applications for copies should be addressed to American Trucking Associations, ATTN: Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

UNIFORM CLASSIFICATION COMMITTEE

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 202 Union Station, 516 W. Jackson Blvd, Chicago. Illinois 60606.)"

3.1 Delete and substitute:

"First article.- When specified (see 6.2) the supplier shall furnish a sample for first article inspection and approval (see 4.2, 6.2 and 6.4)."

PAGE 6

3.7 Delete entirely.

Table I, item No. 1.- Add "size 16".

FSC 3520

MIL-S-1123E
Amendment-1

PAGE 7

Table I, item No. 4, after "Heel breaster".- Add "abrasive, silicon carbide, grade #1 paper, C-weight, open coating, 1-1/8 inches inside diameter, 3-7/16 inches outside diameter".

Table I, item 9.- Add "size 16, 45 degrees".

Table II, item 1.- Add "size 16".

Table II, item 4, after "Heel breaster".- Add "abrasive, silicon carbide, grade #1 paper, C-weight, open coating, 1-1/8 inches inside diameter, 3-7/16 inches outside diameter".

PAGE 8

Table II, item 12.- Add "size 16, 45 degrees".

PAGE 10

4.2 Add: "The presence of any visual defect, dimensions not within specified requirements or failure to pass the tests shall be cause for rejection of the preproduction sample".

PAGE 11

4.5.2 Delete entirely and substitute the following:

"4.5.2 Electromagnetic compatibility.- When electromagnetic compatibility is required, the preproduction sample or initial unit of production, as applicable, shall be tested by the supplier in accordance with test methods CE03 and RE02 of MIL-STD-462. The Government reserves the right to witness tests performed by the supplier or an independent testing agency. The supplier shall furnish the contracting officer written certification that the Interference Control Plan, the EMI/EMC Test Plan, the electromagnetic test report and the requirements meet MIL-STD-461."

PAGE 15

5.2.3 Delete entirely and substitute:

"5.2.3 Level C.- Equipment, preserved and packaged, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules as applicable."

PAGE 16

6.2, (C).- Delete and substitute: "(c) When a first article is required (see 3.1, 4.2, and 6.4)."

6.2, (f). - Delete entirely.

Add new paragraph:

"6.2.1 Contract data requirement.- Any requirements for equipment manuals for the items covered by this specification should be included in DD Form 1423 Contract Data Requirements List and cited in the contract."

6.4 Delete and substitute:

"6.4 First article,- When a first article is required, it shall be inspected and approved under the appropriate provisions of ASPR 7-104.55. The first article should be a preproduction sample, The first article should consist of one unit. The contracting officer should include specific instructions in all procurement instruments , regarding arrangement for inspection and approval of the first article,"

Custodians:

Army - GL

Air Force - 84

Preparing activity:

Army - GL

Project No. 3520-0024

Review Activity:

Army - MD