


FED. SUP CLASS
4030



NOTE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatever, and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be interpreted by implication or otherwise as in any manner favoring the holder or any other person or corporation, in carrying out any rights or processes for construction, use, or sale of any patented invention that may in any way be related thereto.

O	WIRE GAGE	14	12	12	11	11	10	8
	DIA (DECIMAL)	.080	.105	.105	.120	.120	.134	.162
L	REACH	27/32	15/16	1-3/32	1-7/16	1-7/16	1-1/16	1-1/16
A		9/32	9/32	25/64	9/32	13/32	11/32	3/8
B		5/16	5/16	13/32	11/16	11/16	13/32	3/8
C		1/8	11/64	3/32	9/32	5/16	3/16	1/4
D		3/16	3/16	1/8	13/32	9/16	1/4	9/32
E		13/32	15/32	1/2	9/16	5/8	17/32	9/16
F		3/8	13/32	15/32	13/16	7/8	1/2	9/16
MATERIAL AND PROTECTIVE COATING		DASH NO.						
STEEL								
UNCOATED		1	11	21	31	41	51	61
CADMIUM		3	13	23	33	43	53	63
BRASS								
UNCOATED		2	12	22	32	42	52	62

MATERIAL: Steel, Federal Standard No. 66, SAE 1010-1020.
Brass, commercial.

PROTECTIVE COATING: Cadmium plate in accordance with Specification QQ-P-416, Type II, Class 3.

TOLERANCE: Decimals ±.005. Fractions ±1/16.

DIMENSIONS: All dimensions are in inches.

PART NUMBER: The MS part number consists of the MS number, plus the dash number. Example: MS37005-21.

NOTES: (1) Referenced documents shall be of the issue in effect on date of invitations for bid

This standard has been approved by the Department of the Army and is mandatory for use by all other military activities as required by this standard where available.

REVISED
APPROVED 16 OCT 62

P.A. Other Code	VC	TITLE	HILITARY STANDARD
		HOOK,CHAIN-S	MS87006 (WC)
PROCUREMENT SPECIFICATION INDEX	SUPERSEDES	SCALE	SHEET OF
			1 OF 1